

RELEVANT PUBLICATIONS FROM RENOVO STAFF

2010
Bush J, Duncan J, Bond J, Durani P, So K, Mason T, O’Kane S, Ferguson MWJ “Scar-Improving Efficacy of Avotermin Administered into the Wound Margins of Skin Incisions as Evaluated by a Randomised, Double-Blind, Placebo-Controlled, Phase II Clinical Trial” Plastic & Reconstructive Surgery 126(5): 1604-1615. 2010
Z. Hassan, J.K. Wong, J. Bush, A. Bayat, K.W. Dunn. “Assessing the severity of inhalational injuries in adults” Burns; 36: 212-216. 2010
Howe D, Winberry L Article – ‘Effective auditing of CMOs’ joint publication” in ‘Guide to Outsourcing’ published by Biopharm International (April 2010)
Rorison P, Thomlinson A, Hassan Z, Roberts SA, Ferguson MW, Shah M “Longitudinal changes in plasma transforming growth factor beta-1 and post-burn scarring in children” Burns. 36(1): 89-96. 2010
Weber SA, Watermann N, Jossinet J, Byrne JA, Chantrey J, Alan S, SO K, Bush J, O’Kane S, McAdams ET “Remote wound monitoring of chronic ulcers” IFEE Transactions on Information Technology in Biomedicine. 14(2), 371-377, 2010
Lavery HG, Occleston NL, Johnson M, Little J, Jones R, Fairlamb D, Ferguson MWJ, O’Kane S. “Effects of Avotermin (TGFβ3) in a clinically relevant pig model of long full-thickness incisional wounds” Journal of Cutaneous Medicine & Surgery. 14(5): 223-232. 2010
Wong JK, Al-Youha S, Kadler KE, Ferguson MWJ, McGrouther DA “The Cell Biology of Suturing Tendons” Matrix Biology. 29(6): 525-536. 2010
2009
Ferguson MWJ, Duncan J, Bond J, Bush J, Durani P, So K, Taylor L, Chantry J, Mason T, James G, Lavery HG, Occleston NL, Sattar A, Ludlow A, O’Kane S “Prophylactic administration of avotermin for improvement of skin scarring: three double-blind, placebo-controlled, phase I/II studies” The Lancet –373(9671), 1264-1274, 2009 This paper features on the front cover and is the subject of an editorial comment (pgs 1226-1228).
Lavery HG, Wakefield LM, Occleston NL, O’Kane S, Ferguson MWJ, “TGFb3 and Cancer: A review”

Cytokine and Growth Factor Reviews – 2009, 20(4), 305-317
Durani P, McGrouther DA, Ferguson MWJ “Current scales for assessing human scarring: a review” Journal of Plastic, Reconstructive and Aesthetic Surgery. 62(6), 713-720, 2009
Durani P, McGrouther DA, Ferguson MWJ “The patient scar assessment questionnaire: a reliable and valid patient-reported outcomes measure for linear scars” Plastic and Reconstructive Surgery. 123(5), 1481-1489, 2009
Occleston NL, Fairlamb D, Hutchison J, O’Kane S, Ferguson MWJ “Avotermin for the improvement of scar appearance: a new pharmaceutical in a new therapeutic area” Expert Opinion Investigational Drugs. 18(8), 1231 – 1239, 2009
Wong JK, Lui YH, Kapacee Z, Kadler KE, Ferguson MWJ, McGrouther DA “The cellular biology of flexor tendon adhesion formation: an old problem in a new paradigm” American Journal of Pathology, 175(5): 1938-51. 2009
Young VL, Bush J, O’Kane S “ A new approach for the prophylactic improvement of surgical scarring: Avotermin (TGFβ3)” Clinics in Plastic Surgery. 36. 307-313. 2009
Young VL, Hutchison J “Insights into patient and clinician concerns about scar appearance: semiquantitative structured surveys” Plastic and Reconstructive Surgery. 124(1). 256-265. 2009
2008
Bond JS, Duncan JA, Sattar A, Boanas A, O’Kane S, Ferguson MWJ “The maturation of the human scar: an observational study” Plastic & Reconstructive Surgery. 121(5), 1650-1658, 2008
Metcalfe AD, Ferguson MWJ “Molecular and Cellular basis of regeneration and tissue repair: Skin stem and progenitor cells: using regeneration as a tissue engineering strategy” Cell Mol Life Sci. 65(1), 24-32, 2008.
Bush JA, Ferguson MWJ, Mason T, McGrouther DA “Skin tension or skin compression? Small circular wounds are likely to shrink not gape” Journal of Plastic, Reconstructive and Aesthetic Surgery 61(5); 529-534. 2008

<p>Bond JS, Duncan JAL, Mason T, Sattar A, Boanas A, O’Kane S, Ferguson MWJ. “Scar redness in man: how long does it persist following incisional and excisional wounding?” Plastic and Reconstructive Surgery. 121(2): 487-496. 2008</p>
<p>Occleston NL, Lavery HG, O’Kane S, Ferguson MWJ “Prevention and reduction of scarring in the skin by Transforming Growth Factor Beta 3 (TGFbeta3): from laboratory discovery to clinical pharmaceutical” J Biomater Sci Polym Ed. 19(8): 1047-1063. 2008</p>
<p>Durani P, Occleston NL, O’Kane S, Ferguson MWJ “Avotermin: A novel anti-scarring agent” International Journal of Lower Extremity Wounds. 7: 160-168; 2008</p>
<p>Occleston NL, O’Kane S, Goldspink N, Ferguson MWJ “New Therapeutics for the Prevention and Reduction of Scarring” Drug Discovery Today. 13(21-22), 973-81, 2008</p>
<p>2007</p>
<p>O’Ceallaigh S., Herrick S.E., Bennett W.R., Bluff J.E., , McGrouther D.A., Ferguson M.W.J “Perivascular cells in a skin graft are rapidly repopulated by host cells” Journal of Plastic, Reconstructive and Aesthetic Surgery, 60(8): 864-875, 2007</p>
<p>Bluff JE, Ferguson MWJ, O’Kane S, Ireland G “Bone marrow-derived endothelial progenitor cells do not contribute significantly to new vessels during incisional wound healing” Experimental Haematology. 35(3): 500-506. 2007</p>
<p>Bush J, Ferguson MWJ, Mason T, McGrouther G “The dynamic rotation of Langer’s lines on facial expression” Journal of Plastic, Reconstructive and Aesthetic Surgery, 60(4), 393-399. 2007</p>
<p>Sasaki Y, O’Kane S, Dixon J, Dixon MJ, Ferguson MW “Temporal and spatial expression of Pax9 and Sonic hedgehog during development of normal mouse palates and cleft palates in TGF-beta 3 null embryos” Archives of Oral Biology 52(3): 260-267. 2007</p>
<p>Metcalfe AD, Ferguson MWJ. “Tissue engineering of replacement skin: the crossroads of biomaterials, wound healing, embryonic development, stem cells and regeneration” J R Soc Interface. 4, 413-437. 2007</p>
<p>Bush JA, Bayat A, Ferguson MWJ, McGrouther DA “Facial Scarring” CME Journal Ophthalmology. 8(3): 31-39, 2007</p>

<p>Haider Y, Malizia AP, Keating D, Birch M, Tomlinson A, Martin G, Ferguson MWJ, Doran PP, Egan JJ. “Host predisposition by endogenous transforming growth factor β_1 overexpression promotes pulmonary fibrosis following bleomycin injury.” Journal of Inflammation, 4(1):18, 2007</p>
<p>Metcalfe AD, Ferguson MWJ “Bioengineering skin using mechanisms of regeneration and repair” Biomaterials, 28(34) 5100-5113, 2007</p>
<p>Atkins S, Loescher AR, Boissonade FM, Smith KG, Occleston N, O’Kane S, Ferguson MWJ, Robinson PP “Interleukin-10 reduces scarring and enhances regeneration at a site of sciatic nerve repair” J Peripheral Nerv Syst. 12(4). 269-276, 2007.</p>
<p>2006</p>
<p>Bluff J.E., O’Ceallaigh S., O’Kane S., Ferguson M.W.J. and Ireland G.W. “The microcirculation in acute murine cutaneous incisional wounds shows a spatial and temporal variation in functionality of vessels.” Wound Repair and Regeneration, 14. 434-442, 2006</p>
<p>Duncan J.A.L., Bond J.S., Mason T., Ludlow A., Cridland P., O’Kane S., Ferguson M.W.J “Visual Analogue Scale Scoring and Ranking: A Suitable and Sensitive Method for Assessing Scar Quality?” Plastic and Reconstructive Surgery , 118(4), 909 – 918, 2006</p>
<p>Ghosh J, Baguneid M, Khwaja N, Murphy MO, Turner N, Halka AT, Ferguson MWJ, Kielty CM, Walker MG. “Reduction of myointimal hyperplasia following arterial anastomosis by local injection of Transforming Growth Factor β_3” Journal of Vascular Surgery, 43(1), 142-149, 2006</p>
<p>O’Ceallaigh S., Herrick S.E., Bluff J.E., McGrouther D.A. and Ferguson M.W.J “Quantification of total and perfused blood vessels in murine skin autografts using a fluorescent double labelling technique”. Plastic and Reconstructive Surgery, 117(1), 140-151, 2006</p>
<p>Yu H, Bock O, Bayat A, Ferguson MWJ, Mrowietz U “Decreased expression of inhibitory SMAD6 and SMAD7 in keloid scarring” Journal of Plastic & Reconstructive Aesthetic Surgery. 59(3), 221-229, 2006</p>
<p>Henderson J., Terenghi G., McGrouther D.A., Ferguson M.W.J “The reinnervation pattern of wounds and scars may explain their sensory symptoms” Journal of Plastic and Reconstructive and Aesthetic Surgery, 59(9), 942-950, 2006</p>
<p>Atkins S, Smith KG, Loescher AR, Boissonade FM, O’Kane S, Ferguson MWJ, Robinson PP “Scarring impedes regeneration at sites of peripheral nerve repair” NeuroReport, 17(12), 1245-1249, 2006</p>

<p>Metcalfe AD, Willis H, Beare A, Ferguson MWJ “Characterising regeneration in the vertebrate ear” Journal of Anatomy, 209, 439-446, 2006</p>
<p>Beare AHM, Metcalfe AD, Bartlett JP and Ferguson, MWJ “Location of Injury Influences the Mechanisms of both Regeneration and Repair within the MRL/MpJ Mouse”. Journal of Anatomy, 209, 547-560, 2006</p>
<p>Wong JFK, Cerovac S, Ferguson MWJ, McGrouther DA. “The cellular effect of a single interrupted suture on tendon.” Journal of Hand Surgery. 31(4), 358-367, 2006</p>
<p>Wong J, Bennett WR, Ferguson MWJ, McGrouther DA “Microscopic and histological examination of the mouse hind paw digit and flexor tendon arrangement with 3D reconstruction” Journal of Anatomy, 209, 533-546, 2006</p>
<p>Atkins S, Smith KG, Loescher AR, Boissonade FM, Ferguson MWJ, Robinson PP “The effect of antibodies to TGFβ₁ and TGFβ₂ at a site of sciatic nerve repair” Journal of the Peripheral Nervous System, 11(4):286-93. 2006</p>
<p>Durani P, Ferguson MWJ “Developments in burn scar therapy” MIMS Dermatology, 2, 12, 2006</p>
<p>Murphy MO, Ghosh J, Halka AT, Carter A, Turner NJ, Ferguson MWJ, Kielty CM, Walker MG “In vivo attenuation of myointimal hyperplasia using transforming growth factor beta 3 in an interpositional graft model” Journal of Endovascular Therapy, 13, 389-399, 2006</p>
<p>2005</p>
<p>Bayat A., Walter, J, Lamb H., Marino M, Ferguson MWJ, Ollier WER. “Mitochondrial mutation detection using enhanced multiplex denaturing high-performance liquid chromatography” International Journal of Immunogenetics. 32: 199-205, 2005.</p>
<p>Bayat, A., Walter, J.M., Lambe H., Watson, J.S., Stanley, J.K., Marino, M., Ferguson, M.W.J., Ollier, W.E.R. “Identification of a novel mitochondrial mutation in Dupuytren’s disease using multiplex DHPLC”. Plastic and Reconstructive Surgery. 115(1), 134-141. 2005</p>
<p>Bayat A., Arscott G., Ollier WE., McGrouther DA., Ferguson MWJ. “Keloid disease: clinical relevance of single versus multiple site scars”. British Journal of Plastic Surgery. 58(1). 28-37. 2005</p>
<p>Beare A.H.M, Krane SM. and Ferguson M.W.J. “Variable Impairment of Wound Healing in the Heterozygous Collagenase Resistant Mouse” Wound Repair and Regeneration 13(1) 27-40. 2005</p>

<p>Metcalfe A.D., Ferguson M.W.J "Harnessing Wound Healing and Regeneration for Tissue Engineering". Biochemical Society Transactions. 33(2), 413-417. 2005</p>
<p>Gorvy D.A., Herrick S.E., Shah M. and Ferguson M.W.J. "Experimental manipulation of Transforming Growth Factor β isoforms significantly affects adhesion formation in a murine surgical model" American Journal of Pathology. 167(4). 1005-109. 2005</p>
<p>Bryan D, Walker KB, Ferguson MWJ, Thorpe R "Cytokine gene expression in a murine wound healing model" Cytokine. 31. 429-438. 2005</p>
<p>Bayat A, Walter JM, Bock O, Mrowietz U, Ollier WE, Ferguson MWJ "Genetic Susceptibility to keloid disease: mutation screening of the TGFbeta3 gene" British Journal of Plastic Surgery, 58(7), 914-921, 2005</p>
<p>Bock O, Yu H, Zitron S, Bayat A, Ferguson MWJ, Mrowietz U "Studies of transforming growth factors beta 1-3 and their receptors I and II in fibroblast of keloids and hypertrophic scars" Acta Derma Venereology, 85(3): 216-220, 2005</p>
<p>Abd-EI-Aleem SA, Morgan C, Ferguson MWJ, McCollum CN, Ireland GW "Spatial distribution of mast cells in chronic venous leg ulcers" European Journal of Histochemistry, 49(3), 265-272, 2005</p>
<p>Birch ML, Tomlinson A, Ferguson MWJ "Animal models for adult dermal wound healing" In, Fibrosis Research: Methods and Protocols. (ed. J Varga, DA Brenner, SH Phan). The Humana Press, Inc. Totowa, USA. 223-235, 2005 Methods in Molecular Medicine, 117, 223-235, 2005</p>
<p>Ferguson MWJ "Reduction of scarring following injury and surgery". In, Advances in Veterinary Dermatology Vol 5 (eds. Hillier, AP Foster, KW Kwochka). Blackwell Publishing Ltd, Oxford. 191-195, 2005</p>
<p>2004</p>
<p>Bayat, A., Bock, O., Mrowietz, U., Ollier, W.E.R., Ferguson, M.W.J. "Genetic Susceptibility to Keloid Disease: Transforming growth factor beta receptor (TGFβR) gene polymorphisms are not associated with Keloid disease". Experimental Dermatology, 13: 120-124, 2004</p>
<p>Bayat A, Arscott G, Ollier WE, Ferguson MWJ, Mc Grouther DA. "Description of site-specific morphology of keloid phenotypes in an Afrocaribbean Population" British Journal of Plastic Surgery; 57:122-133, 2004.</p>

<p>Blakytyn R, Ludlow A, Martin GE, Ireland G, Lund LR, Ferguson MWJ, Brunner G. “Latent TGF-beta1 activation by platelets”. Journal of Cellular Physiology; 199:67-76, 2004</p>
<p>Ferguson MWJ, O’Kane S. Scar-free healing: from embryonic mechanisms to adult therapeutic intervention. Philosophical Transactions of the Royal Society of London B Biological Sciences. 29;359(1445):839-50. 2004.</p>
<p>Bayat A and Ferguson MWJ “Advances in the management of abnormal scarring” In, Private Hospital Healthcare Europe 2004. (ed. S. Taylor). Campden Publishing Ltd, London. C3 – C5. 2004</p>
<p>2003</p>
<p>Bayat A., Bock O., Mrowietz U., Ollier W.E.R., Ferguson M.W.J. “Genetic susceptibility in keloid disease and hypertrophic scarring Transforming growth factor beta one (TGFβ1) common polymorphisms and plasma levels in keloid disease and hypertrophic scarring”. Plastic and Reconstructive Surgery, 111, 535-546, 2003.</p>
<p>Rajnoch C., Ferguson S., Metcalfe A.D., Herrick S.E., Willis H.S., Ferguson M.W.J. “Regeneration of the ear following wounding in different mouse strains is dependent on the severity of wound trauma”. Developmental Dynamics, 226, 388-397, 2003</p>
<p>Bayat, A., Walter, J.M., Lamb, H., Ferguson, M.W.J., Ollier, W.E.R. “Rapid denaturing high performance liquid chromatography (DHPLC) for mutation scanning of the transforming growth factor β3 gene using a novel proof reading polymerase” European Journal of Immunogenetics, 30, 335-340, 2003</p>
<p>Beare AHM, O’Kane S, Krane SM and Ferguson MWJ. “Severely impaired wound healing in the Collagenase-Resistant Mouse. Journal of Investigative Dermatology, 120; 153-163, 2003.</p>
<p>Bayat A., McGrouther D.A., Ferguson M.W.J. “Skin scarring”. British Medical Journal, 326, 88-92, 2003.</p>
<p>Bayat, A., Watson, J.S., Stanley, J.K., Ferguson, M.W.J., Ollier, W.E.R. “Genetic susceptibility to Dupuytren’s disease: association of Zf9 transcription factor gene”. Plastic and Reconstructive Surgery.111:2133-2139, 2003</p>
<p>Bayat A, Stanley JK, Watson JS, Ferguson MWJ, Ollier WE. “Genetic susceptibility to Dupuytren’s disease: transforming growth factor beta receptor (TGFbetaR) gene polymorphisms and Dupuytren’s disease”. British Journal of Plastic Surgery. 56:328-334, 2003.</p>

<p>Bayat, A., Arscott, G., Ollier, W.E.R., Ferguson, M.W.J. and McGrouther, D.A., “Aggressive keloid: a severe variant of familial keloid scarring: Journal of the Royal Society of Medicine, 96: 554-555, 2003</p>
<p>2002</p>
<p>O’Kane S “Wound remodelling and scarring” Journal of Wound Care. 11: 296-299. 2002</p>
<p>Bayat A., Watson J.S., Stanley J.K., Alansari A., Shah M., Ferguson M.W.J., Ollier W.E.R. “Genetic Susceptibility in Dupuytren’s Disease: TGFβ1 Polymorphisms and Dupuytren’s Disease. Journal of Bone and Joint Surgery, 84-B, 211-215, 2002.</p>
<p>Bayat A, Alansar A, Hajeer AH, Shah M, Watson JS, Stanley JK, Ferguson MWJ, Ollier WER. “A Novel Transforming Growth Factor Beta (2) Polymorphism In Dupuytren’s Disease”. Journal of Hand Surgery. 27B(1), 47-49, 2002.</p>
<p>Bayat A., Bock O., Mrowietz U., Ollier W.E.R., Ferguson M.W.J. “Genetic susceptibility to keloid disease and transforming growth factor β2 polymorphisms”. British Journal of Plastic Surgery, 55, 283-286, 2002.</p>
<p>Van den Boom R., Wilmink J.M., O’Kane S., Wood J., Ferguson M.W.J., “Transforming Growth Factor β levels during second intention healing are related to the different course of wound contraction in horses and ponies”. Wound Repair and Regeneration, 10, 188-194, 2002.</p>
<p>Tudela C., Formoso M.A., Martinez T., Perez R., Aparicia M., Maestro C., Del Rio A., Martinez E., Ferguson M.W.J., Martinez-Alvarez C. “TGFβ3 is required for the adhesion and intercalation of medial edge epithelial cells during palate fusion”. International Journal of Developmental Biology, 46, 333-336, 2002.</p>
<p>Gato A., Tudela C., Alonso I., Moro J.A., Formoso M.A., Ferguson M.W.J., Martinez-Alvarez C. “TGFβ3 induced chondroitin sulphate proteoglycan mediates palatal shelf adhesion”. Developmental Biology, 250, 393-405, 2002.</p>
<p>Bayat, A., Watson, J.S., Stanley, J.K., Ferguson, M.W.J., Ollier, W.E.R. “Novel allelic variant report: A novel SNP in the 3’-UTR of the TGFβRI gene and a SNP in the 3’-UTR of the TGFβRIII gene” European Journal of Immunogenetics, 29(5): 445-446, 2002.</p>
<p>Jude E,B., Blakytyn R., Bulmer J., Boulton A.J.M., Ferguson M.W.J. “Transforming growth factor – beta 1,2,3 and receptor type I and II in diabetic foot ulcers”. Diabetic Medicine, 19, 440-447, 2002.</p>

<p>Tomlinson, A. and Ferguson, M.W.J. “Wound Healing: A model of dermal wound repair”. In, “Inflammation Protocols”. Methods in Molecular Biology Series Vol 225. (eds. P.G. Winyard and D. Willoughby), Humana Press. Totowa N.J. 249-260, 2002</p>
<p>2001</p>
<p>Chamberlain J., Gunn J., Francis S.E., Holt C.M., Arnold N.D., Cumberland D.C., Ferguson M.W.J., and Crossman D.C. “TGFβ is active and correlates with activators of TGFβ following porcine coronary angioplasty”. Cardiovascular Research, 50, 125-136, 2001.</p>
<p>Abd-El-Aleem SA, Ferguson MWJ, Appleton I, Bhowmick A, McCollum CN and Ireland GW “Expression of cyclooxygenase isoforms in normal human skin and chronic venous ulcers” Journal of Pathology. 195(5), 616-623, 2001</p>
<p>Cowin A.J., Holmes T.M., Brosnan P. and Ferguson, M.W.J. “Expression of TGF-β and its receptors in murine fetal and adult dermal wounds”. European Journal of Dermatology, 11, 424-431, 2001.</p>
<p>Niesler C.U. and Ferguson M.W.J., “TGFβ Superfamily cytokines in wound healing”. In: "TGFβ and Related Cytokines in Inflammation" (eds. S.M.Breit and S.M Wahl), Birkhauser Verlag, Basel, Switzerland, 173 - 198, 2001</p>
<p>Cherry G.W., Hughes M.A., Leaper D.J., Ferguson M.W.J. "Wound Healing", Chapter 6, In, "Oxford Text Book of Surgery, 2nd Edition", (Editors: P.J. Morris and W.C. Wood), Oxford University Press, 129 - 159, 2001</p>
<p>2000</p>
<p>Blakytyn R., Jude E.B., Gibson J.M., Boulton A.J.M and Ferguson M.W.J. “Lack of insulin-like growth factor 1 (IGF1) in the basal keratinocyte layer of diabetic skin and diabetic foot ulcers”. Journal of Pathology, 190, 589-594, 2000.</p>
<p>Agren M.S., Eaglstein W.H., Ferguson M.W.J., Harding K.G., Moore K., Saarialho-Kere U.K. and Schultz G.S. “Causes and Effects of the Chronic Inflammation in Venous Leg Ulcers”. Acta Dermato-Venereologica, 210, 3-17, 2000.</p>
<p>Abd-El-Aleem S.A., Ferguson M.W.J., Appleton I., Kairsingh S., Jude E.B., Jones K., McCollum C.N. and Ireland G.W. “Expression of nitric oxide synthase isoforms and arginase in normal human skin and chronic venous leg ulcers”. Journal of Pathology, 191, 434-442, 2000.</p>

<p>Dallon J., Sherratt J., Maini P. and Ferguson M.W.J. “Biological implications of a discrete mathematical model for collagen deposition and alignment in dermal wound repair”. IMA Journal of Mathematics Applied in Medicine and Biology, 17, 379-393, 2000.</p>
<p>Shah M., Rorison P., Ferguson M.W.J. “The role of transforming growth factors beta in cutaneous scarring”. In: “Scarless Wound Healing” (eds. H.G. Garg and M.T. Longaker), Marcel Dekker Inc. New York, 213-226, 2000</p>
<p>1999</p>
<p>Shah M., Revis D., Herrick S., Baillie R., Thorgeirson S., Ferguson M.W.J. and Roberts A. “Role of Elevated Plasma Transforming Growth Factor β1 Levels in Wound Healing”. American Journal of Pathology, 154, 1115-1124, 1999.</p>
<p>Ashcroft G.S., Greenwell-Wild T., Horan M.A., Wahl S.M. and Ferguson M.W.J. “Topical estrogen accelerates cutaneous wound healing in aged humans associated with an altered inflammatory response”. American Journal of Pathology, 155, 1137-1146, 1999.</p>
<p>Yang L., Qiu C.X., Ludlow A., Brunner G. and Ferguson M.W.J. “Active Transforming Growth Factor β in Wound Repair - determination using a new assay”. American Journal of Pathology, 154, 105-111, 1999.</p>
<p>Jude E.B., Boulton A.J.M., Ferguson M.W.J. and Appleton I. “The Role of Nitric Oxide Synthase Isoforms and Arginase in the Pathogenesis of Diabetic Foot Ulcers: Possible Modulatory Effects by Transforming Factor Beta 1”. Diabetologia, 42, 748-757, 1999.</p>
<p>Taya Y., O’Kane S. and Ferguson M.W.J. “Pathogenesis of cleft palate in TGFβ3 knockout mice”. Development, 126, 3869-3879, 1999.</p>
<p>Chettibi S. and Ferguson M.W.J. “Wound repair: an overview”. In: “Inflammation: Basic Principals and Clinical Correlates”, (editors: J.I. Gallin and S. Snyderman), Lippincott Williams and Wilkins Philadelphia, 865-881, 1999</p>
<p>1998</p>
<p>Beausang E., Floyd H., Dunn K.W., Orton C.I. and Ferguson M.W.J. “A new quantitative scale for clinical scar assessment”. Plastic and Reconstructive Surgery, 102, 1954-1961, 1998.</p>
<p>Cowin A.J., Brosnan M.P., Holmes T.M. and Ferguson M.W.J. “Endogenous inflammatory response to dermal wound healing in the fetal and adult mouse”. Development Dynamics, 212, 385-393, 1998.</p>

<p>Ashcroft G.S., Horan M.A. and Ferguson M.W.J. “Ageing alters the inflammatory and endothelial cell adhesion molecule profiles during human cutaneous wound healing”. Laboratory Investigation, 78, 47-58, 1998</p>
<p>Ferguson M.W.J. “Wound Healing – Scar Wars”. Ulster Medical Journal, 67 S1, 37-40, 1998</p>
<p>Ferguson, M.W.J. and Leigh, I.M. “Wound Healing” In, “Rook/Wilkinson/Ebling, Textbook of Dermatology 6th Edition” (eds. R.H. Champion, J.L. Burton, D.A. Burns, S.M. Breathnach), Blackwell Science, Oxford, 337-356, 1998.</p>
<p>Ashcroft G.S., Horan M.A. and Ferguson, M.W.J. “Ageing and Cutaneous Wound Healing”. In, “Injury in the Ageing” (eds. M.A. Horan and R.A. Little), Cambridge University Press, 147-153, 1998.</p>
<p>1997</p>
<p>Herrick S., Ashcroft G.S., Ireland G.W., Horan M., McCollum C. and Ferguson M.W.J. “Up-Regulation of Elastase in Acute Wounds of Healthy Aged humans and Chronic Venous Leg Ulcers are Associated with Matrix Degradation”. Laboratory Investigation, 77, 281-288, 1997.</p>
<p>Ashcroft G.S., Horan M.A. and Ferguson M.W.J. *** “Ageing is Associated with Reduced Deposition of Specific Extracellular Matrix Components, an Upregulation of Angiogenesis and an Altered Inflammatory Response in a Murine Incisional Wound Healing Model”. Journal of Investigative Dermatology, 108, 430-437, 1997.</p>
<p>Ashcroft G.S., Kielty C.M., Horan M.A. and Ferguson M.W.J. “Age-Related Changes in the Temporal and Spatial Distributions of Fibrillin and Elastin mRNAs and Proteins in Acute Cutaneous Wounds of Healthy Humans”. Journal of Pathology, 183, 80-89, 1997.</p>
<p>Ashcroft G.S., Herrick S.E., Tarnuzzer R.W., Horan M.A., Schultz G.S. and Ferguson M.W.J. “Human Ageing Impairs Injury-Induced <u>in vivo</u> Expression of Tissue Inhibitor of Matrix Metalloproteinases (TIMP)-1 and -2 Proteins and mRNA”. Journal of Pathology, 183, 168-176, 1997.</p>
<p>Ashcroft G.S., Horan M.A. and Ferguson M.W.J. “The effects of ageing on wound healing: Immunolocalisation of growth factors and their receptors in a murine incisional model”. Journal of Anatomy, 190, 351-365, 1997.</p>

<p>Ashcroft G.S., Horan M.A., Herrick S.E., Tarnuzzer R.W., Schultz G.S. and Ferguson M.W.J. “Age related differences in the temporal and spatial regulation of matrix metalloproteinases (MMPs) in normal skin and acute cutaneous wounds of healthy humans”. Cell and Tissue Research, 290, 581-591, 1997.</p>
<p>Ashcroft G.S., Dodsworth J., Van Botel E., Tarnuzzer R.W., Horan M.A., Schultz G.S. and Ferguson M.W.J. “Estrogen accelerates cutaneous wound healing associated with an increase in TGF-β1 levels”. Nature Medicine, 3, 1209-1215, 1997.</p>
<p>McCallion R.L. and Ferguson M.W.J. “Scar free embryonic wound healing and the prevention of scarring following wound healing in the adult”. J. Theoretical Medicine, 1, 1-11, 1997.</p>
<p>O’Kane S. and Ferguson M.W.J. “Transforming Growth Factor Betas and Wound Healing”. International Journal of Biochemistry and Cell Biology, 29, 63-78, 1997.</p>
<p>Paul R.G., Tarlton J.F., Purslow P.P., Sims T.J., Watkins P., Marshall F., Ferguson, M.W.J. and Bailey A.J. “Biomechanical and Biochemical Study of a Standardized Wound Healing Model”. International Journal of Biochemistry and Cell Biology, 29, 211-220, 1997.</p>
<p>Armstrong, J.R. and Ferguson, M.W.J. “Ontological wound healing studies in <u>Monodelphis domestica</u> from birth to adulthood”. In: “Marsupial Biology: Recent Research, New Perspectives” (eds. N. Saunders & L. Hinds), University of New South Wales Press Ltd., 254-271, 1997.</p>
<p>1996</p>
<p>Ferguson M.W.J., Herrick S.E., Spencer M.J., Shaw J.W., Boulton A.J.M. and Sloan P. “The Histology of Diabetic Ulcers”. Diabetic Medicine, 13, S30-S33, 1996</p>
<p>Herrick S.E., Ireland G.W., Simon D., McCollum C.N. and Ferguson M.W.J. “Venous Ulcer Fibroblasts Compared with Normal Fibroblasts Show Differences in Collagen, but Not Fibronectin Production under Both Normal and Hypoxic Conditions”. Journal of Investigative Dermatology, 106. 187-193, 1996.</p>
<p>Clark R.A.F., Ashcroft G.S., Spencer M.J., Larjava H., and Ferguson M.W.J. “Reepithelialisation of normal human excisional wounds is associated with a switch from $\alpha_v\beta_5$ to $\alpha_v\beta_6$ integrins”. British Journal of Dermatology, 135, 46-51, 1996</p>
<p>Ferguson M.W.J., Whitby D.J., Shah M., Armstrong J., Siebert J.W. and Longaker M.T.. “Scar Formation: The Spectral Nature of Fetal and Adult Wound Repair”. Plastic and Reconstructive Surgery, 97, 854-860, 1996.</p>

<p>Martinez-Alvarez C., O'Kane S., Taya Y. and Ferguson, M.W.J. "Palate Development in the TGFβ3 Knockout Mouse. Low Vacuum Scanning Electron Microscopy Reveals Changes in the Medial Edge Epithelium". International Journal of Developmental Biology, S1, 115S-116S, 1996.</p>
<p>Shah, M., Whitby, D.J., Ferguson, M.W.J. "Fetal wound healing and scarless surgery". In: "Recent Advances in Plastic Surgery No.5" (eds. I.T. Jackson and B.C. Sommerlad), Churchill Livingstone, Edinburgh, 1-12, 1996.</p>
<p>McCallion, R.L. and Ferguson, M.W.J. "Fetal wound healing and the development of anti-scarring therapies for adult wound healing". In: "The Molecular and Cellular biology of Wound Repair 2nd Ed" (ed. R.A.F. Clarke), Plenum Press, New York, 561-600, 1996.</p>
<p>1995</p>
<p>Shah M., Foreman D.M. and Ferguson, M.W.J. "Neutralisation of TGFβ1 and TGFβ2 or exogenous addition of TGFβ3 to cutaneous rat wounds reduces scarring". Journal of Cell Science, 108, 985-1002, 1995.</p>
<p>Armstrong J.R. and Ferguson, M.W.J. "Ontogeny of the skin and the transition from scar free to scarring phenotype during wound healing in the pouch young of a marsupial <u>Monodelphis domestica</u>". Developmental Biology, 169, 242-260, 1995.</p>
<p>Chamberlain J., Shah M. and Ferguson, M.W.J. "The effect of suramin on healing adult rodent dermal wounds". Journal of Anatomy, 186, 87-96, 1995.</p>
<p>Ashcroft G.S., Horan M.A., and Ferguson, M.W.J. "The effect of ageing on cutaneous wound healing". Journal of Anatomy, 187, 1-26, 1995.</p>
<p>Bardsley W.G., Sattar A., Armstrong J.R., Shah M., Brosnan P. and Ferguson, M.W.J. "Quantative Analysis of Wound Healing". Wound Repair and Regeneration 3(4), 426-441, 1995.</p>
<p>Brunet C.L., Sharpe P.M. and Ferguson, M.W.J. "Inhibition of TGFβ3 but not TGFβ1 or TGFβ2 activity prevents normal mouse embryonic palate fusion". International Journal of Developmental Biology, 39, 345-355, 1995.</p>
<p>Proetzel G., Paulowski S., Wiles M.W., Yin M.Y., Boiwin G., Howles P., Ding J., Doetschman T. and Ferguson M.W.J. "Transforming Growth Factor β3 is required for secondary palate fusion". Nature Genetics, 11, 409-414, 1995.</p>

1994
Freak L, Simon D, Edwards A.T, Herrick S.E, Ferguson MWJ, McCollum C.N. “The use of topical human growth hormone on chronic venous ulcers” Journal of Wound Care 3, 68-70, 1994
Longaker M.T, Whitby D.J., Ferguson, M.W.J., Jennings R.W., Lorenz H.P., Harrison M.R. and Adzick N.S. “Adult skin wounds in the fetal environment heal with scar formation”. Annals of Surgery 219, 65-72, 1994.
Shah M., Foreman D.M. and Ferguson, M.W.J. “Neutralising antibody to TGFβ _{1,2} , reduces scarring in adult rodents”. Journal of Cell Science, 107, 1137-1157, 1994.
1992
Ferguson, J.E., Schor A.M., Howell A., Ferguson, M.W.J. “Changes in the extracellular matrix of the normal human breast during the menstrual cycle”. Cell and Tissue Research 268, 167-177, 1992.
Herrick S.E., Sloan P., McGurk M. and Ferguson, M.W.J. “Sequential changes in histologic pattern and extracellular matrix deposition during the healing of chronic venous ulcers”. American Journal of Pathology, 141, 1085-1095, 1992
Shah M., Foreman D.M. and Ferguson, M.W.J. “Control of scarring in adult wounds by neutralising antibodies to transforming growth factor beta (TGFβ)”. The Lancet, 339, 213-214, 1992.
1991
Longaker M.T., Whitby D.J., Jennings R.W., Duncan B.W., Ferguson, M.W.J., Harrison, M.R., Adzick N.S. “Fetal diaphragmatic wounds heal with scar formation”. Journal of Surgical Research, 50, 375-385, 1991.
Whitby D.J., Longaker M.T., Adzick N.S., Harrison M.R. and Ferguson, M.W.J. “Rapid epithelialisation of fetal wounds is associated with the early deposition of tenascin”. Journal of Cell Science, 99, 583-586, 1991.
Whitby D.J. and Ferguson, M.W.J. “The extracellular matrix of lip wounds in fetal, neonatal and adult mice”. Development 112, 651-668, 1991.
Whitby D.J. and Ferguson, M.W.J. “Immunohistochemical localisation of growth factors in fetal wound healing”. Developmental Biology, 147, 207-215, 1991.

<p>Whitby, D.J. and Ferguson, M.W.J. “Immunohistochemical studies of extracellular matrix and soluble growth factors in fetal and adult wound healing”. In: “Fetal Wound Healing: A Paradigm for Tissue Repair”. (eds. N.S. Adzick & M.T. Longaker), Elsevier Science Publishing Co., New York, 161-175, 1991.</p>
<p>Ferguson, M.W.J. and Howarth, G.F. “Marsupial models of scarless fetal wound healing”. In: “Fetal Wound Healing: A Paradigm for Tissue Repair” (eds. N.S. Adzick and M.T. Longaker), Elsevier Science Publishing Co., New York, 95-124, 1991</p>
<p>1990</p>
<p>Ferguson, J.E., Schor A.M., Howell A. and Ferguson, M.W.J. “Tenascin distribution in the normal human breast is altered during the menstrual cycle and in carcinoma”. Differentiation 42, 199-207, 1990</p>
<p>Longaker M.T., Whitby D.J., Adzick N.S., Crombleholme T.M., Langer J.C., Duncan B.W., Bradley S.M., Stern R., Ferguson, M.W.J. and Harrison M.R. “Studies in Fetal Wound Healing, VI. Second and Early Third Trimester Fetal Wounds Demonstrate Rapid Collagen Deposition Without Scar Formation”. Journal of Pediatric Surgery, 25, 63-69, 1990.</p>
<p>Longaker M.T., Whitby D.J., Jennings R.W., Duncan B.W., Crombleholme T.M., Harrison M.R., Ferguson, M.W.J. and Adzick S. “Adult skin in the fetal environment heals with scar formation”. Surg. Forum, 41, 639-641, 1990.</p>
<p>1989</p>
<p>Longaker, M.T., Whitby, D.J., Ferguson, M.W.J., Harrison, M.R. and Stern, R. “Studies in fetal wound healing III. Early Deposition of Fibronectin distinguishes fetal from adult wound healing”. J. Pediatric Surgery 24, 799-805, 1989</p>